



KUWAYAMA  
JEWELLERY  
CHAIN  
CATALOGUE

Machine made chain • Curb chain

Made In Japan

GOLD/PLATINUM





# KUWAYAMA JEWELLERY CHAIN CATALOGUE

---

## INDEX


---

### GOLD

BOX CHAIN	02-03
CABLE CHAIN	04-11
FANTASIA CHAIN	12
BALL CHAIN	13
SINGAPORE CHAIN	14
ROLO CHAIN	15
OTHERS	16-20
CURB CHAIN	21-27

### PLATINUM

BOX CHAIN	28-29
CABLE CHAIN	30-35
FANTASIA CHAIN	36
BALL CHAIN	37
SINGAPORE CHAIN	38
ROLO CHAIN	39
OTHERS	40-43
CURB CHAIN	44-47



Super Box Chain 0.5		Width	0.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.96g
		K10 40cm	0.73g
Sliding Ball	○	K18 45cm	1.11g
		K10 45cm	0.92g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Box Chain 0.5		Width	0.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.03g
		K10 40cm	0.79g
Sliding Ball	○	K18 45cm	1.21g
		K10 45cm	1.00g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Box Chain 0.6		Width	0.55mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.13g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.32g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Box Chain 0.7		Width	0.65mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.57g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.80g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Box Chain 0.8		Width	0.75mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.76g
		K10 40cm	g
Sliding Ball	○	K18 45cm	2.05g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —


Box Chain 0.9		Width	0.85mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.58g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.02g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Box Chain 1.0		Width	0.95mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.93g
		K10 40cm	2.17g
Sliding Ball	○	K18 45cm	3.45g
		K10 45cm	2.60g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Box Chain 1.2		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.92g
		K10 40cm	g
Sliding Ball	○	K18 45cm	4.75g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Box Chain 1.4		Width	1.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	5.23g
		K10 40cm	g
Sliding Ball	○	K18 45cm	6.12g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available




Box Chain 1.5		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	6.77g
		K10 40cm	4.98g
Sliding Ball	○	K18 45cm	8.11g
		K10 45cm	6.23g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Box Chain 2.4		Width	2.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	16.24g
		K10 40cm	g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

V-Cut Box Chain 1.0		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.11g
		K10 40cm	2.39g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Twisted Bismarck Box Chain 4 rows 0.6		Width	2.2mm
		Thickness	mm
Adjustable Ring	—	K18 50cm	5.04g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG —	K18WG —	K18YG —
K10 —	K10PG —	K10WG —	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



D/C Cable Chain 0.17		Width	0.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.49g
		K10 40cm	0.40g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Cable Chain 0.2		Width	0.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.65g
		K10 40cm	0.50g
Sliding Ball	○	K18 45cm	0.83g
		K10 45cm	0.69g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Cable Chain 0.21		Width	0.7mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.78g
		K10 40cm	0.59g
Sliding Ball	○	K18 45cm	0.90g
		K10 45cm	0.74g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Cable Chain 0.23		Width	0.75mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.93g
		K10 40cm	0.71g
Sliding Ball	○	K18 45cm	1.18g
		K10 45cm	0.94g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Cable Chain 0.25		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.10g
		K10 40cm	0.86g
Sliding Ball	○	K18 45cm	1.39g
		K10 45cm	1.07g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 ○


D/C Cable Chain 0.28		Width	0.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.34g
		K10 40cm	1.01g
Sliding Ball	○	K18 45cm	1.63g
		K10 45cm	1.27g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 ○

D/C Cable Chain 0.32		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.86g
		K10 40cm	1.35g
Sliding Ball	○	K18 45cm	2.30g
		K10 45cm	1.69g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 ○

D/C Cable Chain 0.38		Width	1.3mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.39g
		K10 40cm	1.84g
Sliding Ball	○	K18 45cm	2.95g
		K10 45cm	2.27g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 ○

D/C Cable Chain 0.45		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.13g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.80g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 ○

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



D/C Cable Chain 0.5				Width	1.6mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	3.91g			
		K10	40cm		g		
Sliding Ball	○	K18	45cm	4.80g			
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	—

D/C Cable Chain 0.6				Width	2.1mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	6.17g			
		K10	40cm		g		
Sliding Ball	○	K18	45cm	7.41g			
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	—

D/C Cable Chain 1.0				Width	3.46mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	16.23g			
		K10	40cm		g		
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	—

D/C Cable Chain #2 0.2				Width	0.7mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.64g			
		K10	40cm	0.51g			
Sliding Ball	○	K18	45cm	0.79g			
		K10	45cm	0.64g			
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—


D/C Cable Chain #2 0.23				Width	0.8mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.79g			
		K10	40cm	0.62g			
Sliding Ball	○	K18	45cm	0.94g			
		K10	45cm	0.75g			
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

D/C Cable Chain #2 0.25				Width	1.0mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.97g			
		K10	40cm	0.76g			
Sliding Ball	○	K18	45cm	1.15g			
		K10	45cm	0.90g			
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

D/C Cable Chain #2 0.28				Width	1.0mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	1.18g			
		K10	40cm	0.90g			
Sliding Ball	○	K18	45cm	1.41g			
		K10	45cm	1.15g			
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Oval Flat Cable 0.23 #2				Width	0.9mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.83g			
		K10	40cm	0.65g			
Sliding Ball	—	K18	45cm	1.20g			
		K10	45cm	0.91g			
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Round Cable Chain 0.21			
		Width	0.7mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.81g
		K10 40cm	0.64g
Sliding Ball	○	K18 45cm	1.00g
		K10 45cm	0.86g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Round Cable Chain 0.23			
		Width	0.75mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.98g
		K10 40cm	0.76g
Sliding Ball	○	K18 45cm	1.23g
		K10 45cm	0.99g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Round Cable Chain 0.25			
		Width	0.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.21g
		K10 40cm	0.94g
Sliding Ball	○	K18 45cm	1.49g
		K10 45cm	1.16g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Round Cable Chain 0.28			
		Width	0.95mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.43g
		K10 40cm	1.08g
Sliding Ball	○	K18 45cm	1.75g
		K10 45cm	1.35g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Round Cable Chain 0.32			
		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.92g
		K10 40cm	1.56g
Sliding Ball	○	K18 45cm	2.30g
		K10 45cm	1.93g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Round Cable Chain 0.38			
		Width	1.3mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.52g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.12g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —


Round Cable Chain 0.45			
		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.30g
		K10 40cm	g
Sliding Ball	○	K18 45cm	4.06g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available





Round Cable Chain USA 0.27		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.47g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.68g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Round Cable Chain USA 0.29		Width	1.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.57g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.85g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Round Cable Chain USA 0.35		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.28g
		K10 40cm	g
Sliding Ball	○	K18 45cm	2.65g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Round Cable Chain USA 0.4		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.04g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.51g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Oval Cable Chain 0.365		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.91g
		K10 40cm	g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —


Flat Cable Chain (S)		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.52g
		K10 40cm	1.94g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Flat Cable Chain (L)		Width	2.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	4.55g
		K10 40cm	2.76g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Oval Flat Cable Chain 0.20#2		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.65g
		K10 40cm	0.56g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Oval Cable Chain 0.17		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.52g
		K10 40cm	0.40g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Oval Cable Chain 0.36			
		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.02g
		K10 40cm	0.74g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

D/C Cable Chain S&L 0.4			
		Width	1.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.55g
		K10 40cm	1.87g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

PPC Cable Chain 0.25			
		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.43g
		K10 40cm	1.06g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

PPC Cable Chain 0.21			
		Width	1.3mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	0.99g
		K10 40cm	0.75g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

PPC 4Cut Cable Chain 0.28			
		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.08g
		K10 40cm	1.60g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -


PPC D/C Cable Chain 0.28			
		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.77g
		K10 40cm	1.33g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

※ Weight and Width listed above are reference purpose only.

○: Available

-: Not Available





Flat Cable Chain Two Tone 0.3		Width	0.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.32g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.71g
		K10 45cm	g
K18 ○	K18PG ○	K18WG —	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Twisted Flat Cable Chain Two Tone 0.36		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.79g
		K10 40cm	1.25g
Sliding Ball	○	K18 45cm	2.41g
		K10 45cm	1.85g
K18 ○	K18PG ○	K18WG —	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Bismarck Cable Chain 0.28		Width	1.5mm
		Thickness	0.65mm
Adjustable Ring	—	K18 45cm	2.83g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG —	K18WG —	K18YG —
K10 —	K10PG —	K10WG —	K24 —


Bismarck cable cable 4 rows 0.28		Width	3.0mm
		Thickness	0.65mm
Adjustable Ring	—	K18 45cm	5.69g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG —	K18WG —	K18YG —
K10 —	K10PG —	K10WG —	K24 —

Bismarck Cable Chain 4 rows 0.35		Width	4.2mm
		Thickness	mm
Adjustable Ring	—	K18 45cm	8.38g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG —	K18WG —	K18YG —
K10 —	K10PG —	K10WG —	K24 —

Bismarck Cable Chain 0.45		Width	2.8mm
		Thickness	0.8mm
Adjustable Ring	—	K18 40cm	7.77g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Bismarck Cable Chain 0.6		Width	3.7mm
		Thickness	1.1mm
Adjustable Ring	—	K18 40cm	13.12g
		K10 cm	g
Sliding Ball	—	K18 cm	g
		K10 cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Shine Cut Cable Chain 0.22		Width	0.7mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	0.75g				
		K10 40cm	0.59g				
Sliding Ball	○	K18 45cm	0.91g				
		K10 45cm	0.73g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Shine Cut Cable Chain 0.25		Width	0.8mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	0.94g				
		K10 40cm	0.71g				
Sliding Ball	○	K18 45cm	1.13g				
		K10 45cm	0.90g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Shine Cut Cable Chain 0.28		Width	0.9mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	1.29g				
		K10 40cm	0.96g				
Sliding Ball	○	K18 45cm	1.58g				
		K10 45cm	1.16g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	○

Shine Cut Cable Chain 0.29		Width	1.0mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	1.1g				
		K10 40cm	0.8g				
Sliding Ball	○	K18 45cm	1.29g				
		K10 45cm	1.01g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	○

Shine Cut Cable Chain 0.33		Width	1.1 mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	1.55g				
		K10 40cm	1.22g				
Sliding Ball	○	K18 45cm	1.92g				
		K10 45cm	1.55g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	○


Shine Cut Cable Chain 0.38		Width	1.3 mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	2.15g				
		K10 40cm	1.64g				
Sliding Ball	○	K18 45cm	2.65g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Shine Cut Cable Chain 0.45		Width	1.5 mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	2.81g				
		K10 40cm	2.08g				
Sliding Ball	○	K18 45cm	3.48g				
		K10 45cm	2.54g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	○


Shine Cut Cable Chain 0.5		Width	1.6 mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	3.62g				
		K10 40cm	g				
Sliding Ball	○	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Shine Cut Cable Chain 0.6		Width	2.1 mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	5.35g				
		K10 40cm	3.99g				
Sliding Ball	○	K18 45cm	6.54g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Shine Cut Cable Chain Plat 0.29/4:1		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.07g
		K10 40cm	0.77g
Sliding Ball	—	K18 45cm	1.36g
		K10 45cm	1.05g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —



Fantasia Chain #2 0.2				Width	1.1mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	0.55g	
		K10	40cm	0.43g	
Sliding Ball	○	K18	45cm	0.67g	
		K10	45cm	0.51g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	○

Fantasia Chain #2 0.25				Width	1.2mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	0.79g	
		K10	40cm	0.62g	
Sliding Ball	○	K18	45cm	0.96g	
		K10	45cm	0.75g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	○

Fantasia Chain 0.2 5:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	0.83g	
		K10	40cm	0.70g	
Sliding Ball	○	K18	45cm	1.06g	
		K10	45cm	0.85g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	—

Fantasia Chain 0.2 8:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	0.83g	
		K10	40cm	0.70g	
Sliding Ball	○	K18	45cm	1.06g	
		K10	45cm	0.85g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	—

Fantasia Chain 0.2 12:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	0.83g	
		K10	40cm	0.70g	
Sliding Ball	○	K18	45cm	1.06g	
		K10	45cm	0.85g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	—

Fantasia Wave Chain 0.3				Width	1.2mm
				Thickness	mm
Adjustable Ring	○	K18	40cm	1.16g	
		K10	40cm	0.90g	
Sliding Ball	○	K18	45cm	1.46g	
		K10	45cm	1.10g	
K18	○	K18PG	○	K18WG	○
K10	○	K10PG	○	K10WG	○
				K24	—

Parallel Fantasia Chain 0.25				Width	2.0mm
				Thickness	mm
Adjustable Ring	—	K18	40cm	1.61g	
		K10	cm	g	
Sliding Ball	—	K18	cm	g	
		K10	cm	g	
K18	○	K18PG	○	K18WG	○
K10	—	K10PG	—	K10WG	—
				K24	—

Quad Fantasia Chain 0.25				Width	3.8mm
				Thickness	mm
Adjustable Ring	—	K18	18cm	1.43g	
		K10	cm	g	
Sliding Ball	—	K18	cm	g	
		K10	cm	g	
K18	○	K18PG	—	K18WG	—
K10	—	K10PG	—	K10WG	—
				K24	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



D/C Ball Chain 0.7		Width	0.7mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.03g
		K10 40cm	g
Sliding Ball	○	K18 45cm	1.17g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

D/C Ball Chain 0.8		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.14g
		K10 40cm	0.85g
Sliding Ball	○	K18 45cm	1.35g
		K10 45cm	1.13g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —


D/C Ball Chain 1.0		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.77g
		K10 40cm	1.34g
Sliding Ball	○	K18 45cm	2.06g
		K10 45cm	1.63g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Ball Chain 1.2		Width	1.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.60g
		K10 40cm	1.90g
Sliding Ball	○	K18 45cm	3.21g
		K10 45cm	2.32g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Ball Chain 1.5		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.19g
		K10 40cm	2.45g
Sliding Ball	○	K18 45cm	4.16g
		K10 45cm	3.20g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

D/C Ball Chain 1.8		Width	1.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	4.73g
		K10 40cm	g
Sliding Ball	○	K18 45cm	6.11g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Singapore Chain 0.12				Width	0.8mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.56g			
		K10	40cm	0.45g			
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Singapore Chain 0.15				Width	0.9mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.78g			
		K10	40cm	0.62g			
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Singapore Chain 0.18				Width	1.1mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	0.95g			
		K10	40cm	0.75g			
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

Singapore Chain 0.21				Width	1.3mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	1.29g			
		K10	40cm		g		
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	○

Singapore Chain 0.25				Width	1.5mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	1.67g			
		K10	40cm		g		
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	○


Singapore Chain 0.28				Width	1.7mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	2.38g			
		K10	40cm		g		
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	○

Singapore Chain 0.32				Width	1.9mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	3.22g			
		K10	40cm		g		
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	—	K10PG	—	K10WG	—	K24	—

Double Singapore Chain 0.17				Width	1.0mm		
				Thickness	mm		
Adjustable Ring	○	K18	40cm	1.03g			
		K10	40cm	0.73g			
Sliding Ball	—	K18	45cm		g		
		K10	45cm		g		
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available





Rolo Chain 1.0		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.31g
		K10 40cm	0.95g
Sliding Ball	○	K18 45cm	1.59g
		K10 45cm	1.23g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Rolo Chain 1.3		Width	1.3mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.20g
		K10 40cm	1.60g
Sliding Ball	○	K18 45cm	2.76g
		K10 45cm	1.96g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —


Rolo Chain 1.6		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.42g
		K10 40cm	2.69g
Sliding Ball	○	K18 45cm	4.21g
		K10 45cm	3.23g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Rolo Chain 1.9		Width	1.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	4.36g
		K10 40cm	3.35g
Sliding Ball	○	K18 45cm	5.57g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 ○

Rolo Chain 2.5		Width	2.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	7.74g
		K10 40cm	g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 ○

Rolo Chain 4.2		Width	4.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	14.73g
		K10 40cm	g
Sliding Ball	—	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 ○

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Adjustable Chain 0.4				Width	2.2mm		
				Thickness	1.2mm		
Adjustable Ring	-	K18	40cm	2.38g			
		K10	40cm	1.90g			
Sliding Ball	-	K18	45cm		g		
		K10	45cm		g		
K18	<input type="radio"/>	K18PG	<input type="radio"/>	K18WG	<input type="radio"/>	K18YG	<input type="radio"/>
K10	<input type="radio"/>	K10PG	<input type="radio"/>	K10WG	<input type="radio"/>	K24	-


Adjustable Chain 0.5				Width	3.3mm		
				Thickness	1.4mm		
Adjustable Ring	-	K18	40cm	3.86g			
		K10	40cm	2.97g			
Sliding Ball	-	K18	45cm		g		
		K10	45cm		g		
K18	<input type="radio"/>	K18PG	<input type="radio"/>	K18WG	<input type="radio"/>	K18YG	<input type="radio"/>
K10	<input type="radio"/>	K10PG	<input type="radio"/>	K10WG	<input type="radio"/>	K24	-

Adjustable Chain 0.6				Width	3.2mm		
				Thickness	1.6mm		
Adjustable Ring	-	K18	40cm	5.36g			
		K10	40cm	4.13g			
Sliding Ball	-	K18	45cm		g		
		K10	45cm		g		
K18	<input type="radio"/>	K18PG	<input type="radio"/>	K18WG	<input type="radio"/>	K18YG	<input type="radio"/>
K10	<input type="radio"/>	K10PG	<input type="radio"/>	K10WG	<input type="radio"/>	K24	-

Flat Oval Chain 0.4				Width	2.8mm		
				Thickness	mm		
Adjustable Ring	-	K18	40cm	2.17g			
		K10	40cm	1.66g			
Sliding Ball	-	K18	45cm		g		
		K10	45cm		g		
K18	<input type="radio"/>	K18PG	<input type="radio"/>	K18WG	<input type="radio"/>	K18YG	<input type="radio"/>
K10	<input type="radio"/>	K10PG	<input type="radio"/>	K10WG	<input type="radio"/>	K24	-

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available





Popcorn Chain 1.4		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.50g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.30g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Popcorn Chain 1.6		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.21g
		K10 40cm	g
Sliding Ball	○	K18 45cm	4.11g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Popcorn Chain 1.8		Width	1.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.98g
		K10 40cm	g
Sliding Ball	○	K18 45cm	5.05g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Cevrey 1.4		Width	1.2mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.24g
		K10 40cm	g
Sliding Ball	○	K18 45cm	3.14g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

Wheat Chain 0.2		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	1.67g
		K10 40cm	1.26g
Sliding Ball	○	K18 45cm	2.01g
		K10 45cm	1.56g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Wheat Chain 0.25		Width	0.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.50g
		K10 40cm	1.90g
Sliding Ball	○	K18 45cm	2.90g
		K10 45cm	2.36g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Wheat Chain 0.3		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.40g
		K10 40cm	2.66g
Sliding Ball	○	K18 45cm	4.24g
		K10 45cm	3.15g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

Wheat Chain 0.4		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	6.05g
		K10 40cm	g
Sliding Ball	○	K18 45cm	7.27g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 —	K10PG —	K10WG —	K24 —

D/C Wheat Chain 0.25		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	2.52g
		K10 40cm	1.74g
Sliding Ball	○	K18 45cm	2.73g
		K10 45cm	2.13g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 —

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Flat Rope Chain 0.25		Width	1.4mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	2.42g				
		K10 40cm	1.86g				
Sliding Ball	○	K18 45cm	2.96g				
		K10 45cm	2.27g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	○	K10PG	○	K10WG	○	K24	○

Pretty 0.28		Width	2.0mm				
		Thickness	mm				
Adjustable Ring	-	K18 40cm	6.43g				
		K10 40cm	g				
Sliding Ball	-	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	-	K18WG	-	K18YG	-
K10	-	K10PG	-	K10WG	-	K24	-

Pretty 0.33		Width	2.4mm				
		Thickness	mm				
Adjustable Ring	-	K18 40cm	8.77g				
		K10 40cm	g				
Sliding Ball	-	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	-	K18WG	-	K18YG	-
K10	-	K10PG	-	K10WG	-	K24	-

Square Snake 0.21		Width	0.7mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	2.45g				
		K10 40cm	g				
Sliding Ball	○	K18 45cm	2.93g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	-	K10PG	-	K10WG	-	K24	-

Square Snake 0.24		Width	0.8mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	3.53g				
		K10 40cm	g				
Sliding Ball	○	K18 45cm	4.07g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	-	K10PG	-	K10WG	-	K24	-


Square Snake 0.33		Width	1.1mm				
		Thickness	mm				
Adjustable Ring	○	K18 40cm	6.37g				
		K10 40cm	g				
Sliding Ball	○	K18 45cm	7.29g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	○	K18YG	○
K10	-	K10PG	-	K10WG	-	K24	-

Super Herringbone 0.21		Width	1.6mm				
		Thickness	0.5mm				
Adjustable Ring	-	K18 40cm	3.12g				
		K10 40cm	g				
Sliding Ball	-	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	-	K18YG	○
K10	-	K10PG	-	K10WG	-	K24	-

Oval Sock Chain		Width	2.6mm				
		Thickness	1.3mm				
Adjustable Ring	○	K18 40cm	6.24g				
		K10 40cm	g				
Sliding Ball	-	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	-	K18WG	○	K18YG	-
K10	-	K10PG	-	K10WG	-	K24	-

Star Cut Hepburn 0.6		Width	2.5mm				
		Thickness	0.8mm				
Adjustable Ring	-	K18 40cm	9.33g				
		K10 40cm	g				
Sliding Ball	-	K18 45cm	g				
		K10 45cm	g				
K18	○	K18PG	○	K18WG	-	K18YG	○
K10	-	K10PG	-	K10WG	-	K24	-

※ Weight and Width listed above are reference purpose only. ○: Available - : Not Available



Paperclip Chain 0.5		Width	2.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	3.10g
		K10 40cm	2.32g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

Paperclip Chain Round 0.6		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	5.20g
		K10 40cm	4.08g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Round 0.7		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	6.99g
		K10 40cm	5.55g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Round 0.85		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	11.45g
		K10 40cm	8.83g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Round 0.95		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	13.26g
		K10 40cm	10.04g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -


Paperclip Chain Knife 0.6		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	5.98g
		K10 40cm	4.51g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Knife 0.7		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	8.20g
		K10 40cm	6.16g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Knife 0.85		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	13.70g
		K10 40cm	11.20g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

Paperclip Chain Knife 0.95		Width	mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	16.11g
		K10 40cm	12.75g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 ○	K10PG -	K10WG -	K24 -

※ Weight and Width listed above are reference purpose only. ○: Available -: Not Available



Milano (S)		Width	2.5mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	5.62g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 -	K10PG -	K10WG -	K24 -

Milano (M)		Width	2.9mm
		Thickness	mm
Adjustable Ring	○	K18 40cm	8.60g
		K10 40cm	5.95g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 ○	K10PG ○	K10WG ○	K24 -

Forte 1.4		Width	4.0mm
		Thickness	mm
Adjustable Ring	-	K18 40cm	25.91g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 -	K10PG -	K10WG -	K24 -

Garland		Width	2.8mm
		Thickness	mm
Adjustable Ring	-	K18 40cm	3.86g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG -	K18WG -	K18YG -
K10 -	K10PG -	K10WG -	K24 -

Figaro Chain 0.6		Width	2.0mm
		Thickness	1.0mm
Adjustable Ring	-	K18 40cm	5.45g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 -	K10PG -	K10WG -	K24 -

Figaro Chain 0.8		Width	2.7mm
		Thickness	1.3mm
Adjustable Ring	-	K18 40cm	9.05g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 -	K10PG -	K10WG -	K24 -

Figaro Chain 1.0		Width	3.4mm
		Thickness	1.6mm
Adjustable Ring	-	K18 40cm	14.76g
		K10 40cm	g
Sliding Ball	-	K18 45cm	g
		K10 45cm	g
K18 ○	K18PG ○	K18WG ○	K18YG ○
K10 -	K10PG -	K10WG -	K24 -

※ Weight and Width listed above are reference purpose only. ○ : Available - : Not Available



	300% Expansion	Actual	2 Sided D/C Curb Chain 0.63		Width	2.09mm	K18 60cm	10g
			Spring Ring	○	Thickness	1.05mm		
2 Sided D/C Curb Chain 0.63			Folded Clasp	—				
2 Sided D/C Curb Chain 0.71			2 Sided D/C Curb Chain 0.71		Width	2.27mm	K18 50cm	10g
			Spring Ring	○	Thickness	1.15mm		
2 Sided D/C Curb Chain 0.72			Folded Clasp	—				
2 Sided D/C Curb Chain 0.78			2 Sided D/C Curb Chain 0.72		Width	2.45mm	K18 45cm	10g
			Spring Ring	—	Thickness	1.23mm		
2 Sided D/C Curb Chain 0.78			Folded Clasp	○				
2 Sided D/C Curb Chain 0.9			2 Sided D/C Curb Chain 0.78		Width	2.56mm	K18 40cm	10g
			Spring Ring	○	Thickness	1.3mm		
2 Sided D/C Curb Chain 0.9			Folded Clasp	—				
2 Sided D/C Curb Chain 0.95			2 Sided D/C Curb Chain 0.9		Width	2.93mm	K18 60cm	20g
			Spring Ring	○	Thickness	1.42mm		
2 Sided D/C Curb Chain 0.95			Folded Clasp	—				
2 Sided D/C Curb Chain 1.1			2 Sided D/C Curb Chain 0.95		Width	3.25mm	K18 50cm	20g
			Spring Ring	—	Thickness	1.67mm		
2 Sided D/C Curb Chain 1.1			Folded Clasp	○				
2 Sided D/C Curb Chain 1.15			2 Sided D/C Curb Chain 1.1		Width	3.68mm	K18 60cm	30g
			Spring Ring	○	Thickness	1.75mm		
2 Sided D/C Curb Chain 1.15			Folded Clasp	—				
2 Sided D/C Curb Chain 1.4			2 Sided D/C Curb Chain 1.15		Width	3.87mm	K18 50cm	30g
			Spring Ring	○	Thickness	1.82mm		
2 Sided D/C Curb Chain 1.4			Folded Clasp	—				
2 Sided D/C Curb Chain 1.4			2 Sided D/C Curb Chain 1.4		Width	4.62mm	K18 60cm	50g
			Spring Ring	—	Thickness	2.15mm		
2 Sided D/C Curb Chain 1.4			Folded Clasp	○				

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available

Actual

2 Sided  
D/C Curb Chain  
1.55



2 Sided D/C Curb Chain 1.55		Width	5.07mm
		Thickness	2.28mm
Spring Ring	—	K18 50cm	50g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
1.6



2 Sided D/C Curb Chain 1.6		Width	5.35mm
		Thickness	2.33mm
Spring Ring	—	K18 18cm	20g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
1.9



2 Sided D/C Curb Chain 1.9		Width	6.4mm
		Thickness	2.6mm
Spring Ring	—	K18 20cm	30g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
2.0



2 Sided D/C Curb Chain 2.0		Width	6.62mm
		Thickness	2.9mm
Spring Ring	—	K18 60cm	100g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
2.2



2 Sided D/C Curb Chain 2.2		Width	7.26mm
		Thickness	3.0mm
Spring Ring	—	K18 50cm	100g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
2.4



2 Sided D/C Curb Chain 2.4		Width	8.13mm
		Thickness	3.5mm
Spring Ring	—	K18 20cm	50g
Folded Clasp	○		

2 Sided  
D/C Curb Chain  
3.4




2 Sided D/C Curb Chain 3.4		Width	11.11mm
		Thickness	4.51mm
Spring Ring	—	K18 21cm	100g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available



6 Sided D/C Double Curb Chain 0.51		Width	2.4mm
		Thickness	0.86mm
Spring Ring	—	K18 60cm	10g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.58		Width	2.55mm
		Thickness	1.0mm
Spring Ring	○	K18 50cm	10g
Folded Clasp	—		

6 Sided D/C Double Curb Chain 0.61		Width	2.65mm
		Thickness	1.05mm
Spring Ring	—	K18 45cm	10g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.64		Width	2.9mm
		Thickness	1.05mm
Spring Ring	—	K18 40cm	10g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.72		Width	3.4mm
		Thickness	1.3mm
Spring Ring	—	K18 60cm	20g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.83		Width	3.57mm
		Thickness	1.4mm
Spring Ring	—	K18 50cm	20g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.86		Width	4.02mm
		Thickness	1.6mm
Spring Ring	—	K18 40cm	20g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.96		Width	4.25mm
		Thickness	1.6mm
Spring Ring	—	K18 18cm	10g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 1.0		Width	4.35mm
		Thickness	1.7mm
Spring Ring	—	K18 50cm	30g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available

Actual

6 Sided D/C  
Double Curb Chain  
1.1



6 Sided D/C Double Curb Chain 1.1		Width	4.9mm
		Thickness	1.72mm
Spring Ring	—	K18 40cm	30g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.2



6 Sided D/C Double Curb Chain 1.2		Width	5.25mm
		Thickness	2.0mm
Spring Ring	—	K18 60cm	50g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.22



6 Sided D/C Double Curb Chain 1.22		Width	5.6mm
		Thickness	2.15mm
Spring Ring	—	K18 50cm	50g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.35



6 Sided D/C Double Curb Chain 1.35		Width	5.85mm
		Thickness	2.4mm
Spring Ring	—	K18 18cm	20g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.55



6 Sided D/C Double Curb Chain 1.55		Width	7.0mm
		Thickness	2.7mm
Spring Ring	—	K18 20cm	30g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.60



6 Sided D/C Double Curb Chain 1.60		Width	7.35mm
		Thickness	2.3mm
Spring Ring	—	K18 60cm	100g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.85



6 Sided D/C Double Curb Chain 1.85		Width	8.1mm
		Thickness	3.15mm
Spring Ring	—	K18 50cm	100g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
2.0



6 Sided D/C Double Curb Chain 2.0		Width	8.95mm
		Thickness	3.3mm
Spring Ring	—	K18 20cm	50g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
2.7



6 Sided D/C Double Curb Chain 2.7		Width	12.7mm
		Thickness	4.6mm
Spring Ring	—	K18 21cm	100g
Folded Clasp	○		


※ Weight and Width listed above are reference purpose only.

○: Available


—: Not Available



6 Sided D/C  
Double Curb Chain  
3.35



6 Sided D/C Double Curb Chain 3.35		Width	15.3mm
		Thickness	5.6mm
Spring Ring	—	K18 21cm	150g
Folded Clasp	○		



12 Sided D/C Triple Curb Chain 0.5		Width	3.18mm
		Thickness	1.25mm
Spring Ring	—	K18 40cm	10g
Folded Clasp	○	K18WG 40cm	10g

12 Sided D/C Triple Curb Chain 0.54		Width	3.32mm
		Thickness	1.3mm
Spring Ring	—	K18 50cm	14.5g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 0.76		Width	4.45mm
		Thickness	1.68mm
Spring Ring	—	K18 60cm	30g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 0.84		Width	4.9mm
		Thickness	1.78mm
Spring Ring	—	K18 50cm	30g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 1.01		Width	6.05mm
		Thickness	2.2mm
Spring Ring	—	K18 60cm	50g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 1.11		Width	6.35mm
		Thickness	2.4mm
Spring Ring	—	K18 50cm	50g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available

Actual

12 Sided D/C Triple Curb Chain 1.35



12 Sided D/C Triple Curb Chain 1.35		Width	7.6mm
		Thickness	2.9mm
Spring Ring	—	K18 20cm	30g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 1.41



12 Sided D/C Triple Curb Chain 1.41		Width	8.2mm
		Thickness	3.25mm
Spring Ring	—	K18 60cm	100g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 1.55




12 Sided D/C Triple Curb Chain 1.55		Width	8.75mm
		Thickness	3.45mm
Spring Ring	—	K18 50cm	100g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 1.68



12 Sided D/C Triple Curb Chain 1.68		Width	9.7mm
		Thickness	3.75mm
Spring Ring	—	K18 20cm	50g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Box Chain 0.5		Width	0.5mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.21g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.41g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 0.6		Width	0.55mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.30g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.52g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 0.7		Width	0.68mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.72g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.95g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 0.8		Width	0.75mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.15g
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.45g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 0.9		Width	0.85mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.90g
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.40g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 1.0		Width	0.95mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.41g
Sliding Ball	<input type="radio"/>	Pt850 45cm	4.05g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 1.2		Width	1.1mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	4.50g
Sliding Ball	<input type="radio"/>	Pt850 45cm	5.45g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Box Chain 1.4		Width	1.2mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	6.15g
Sliding Ball	<input type="radio"/>	Pt850 45cm	7.30g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Box Chain 1.5		Width	1.4mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	8.05g
Sliding Ball	<input type="radio"/>	Pt850 45cm	9.65g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

※ Weight and Width listed above are reference purpose only. : Available —: Not Available

Twisted Bismarck  
Box Chain 4 rows 0.6




Twisted Bismarck Box Chain 4 rows 0.6		Width	2.2 mm
		Thickness	mm
Adjustable Ring	—	Pt850 50cm	5.76g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	○

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available



D/C Cable Chain 0.17			Width	0.55mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.60g	
Sliding Ball	<input type="checkbox"/>	Pt850 45cm	g	
Pt999	Pt950	Pt900	Pt850	
—	—	—	<input type="radio"/>	

D/C Cable Chain 0.2			Width	0.65mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.81g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	0.97g	
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

D/C Cable Chain 0.21			Width	0.7mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.92g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.10g	
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

D/C Cable Chain 0.23			Width	0.75mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.13g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.45g	
Pt999	Pt950	Pt900	Pt850	
—	—	—	<input type="radio"/>	

D/C Cable Chain 0.25			Width	0.85mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.36g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.68g	
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>	


D/C Cable Chain 0.28			Width	0.95mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.63g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.00g	
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

D/C Cable Chain 0.33			Width	1.1mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.27g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.80g	
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

D/C Cable Chain 0.4			Width	1.35mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.15g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.85g	
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

D/C Cable Chain 0.45			Width	1.5mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.95g	
Sliding Ball	<input type="radio"/>	Pt850 45cm	4.80g	
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

※ Weight and Width listed above are reference purpose only. : Available —: Not Available




D/C Cable Chain #2 0.2		Width	0.7mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.83g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.00g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

D/C Cable Chain #2 0.23		Width	0.85mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.98g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.18g
Pt999	Pt950	Pt900	Pt850
<input type="radio"/>	—	—	<input type="radio"/>

D/C Cable Chain #2 0.25		Width	1.0mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.25g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.46g
Pt999	Pt950	Pt900	Pt850
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>

Oval Flat Cable 0.23 #2		Width	0.9mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.99g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.39g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

※ Weight and Width listed above are reference purpose only.    : Available    —: Not Available



Round Cable Chain 0.21			Width	0.7mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		0.95g
Sliding Ball	<input type="radio"/>	Pt850 45cm		1.30g
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

Round Cable Chain 0.23			Width	0.8mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		1.19g
Sliding Ball	<input type="radio"/>	Pt850 45cm		1.51g
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

Round Cable Chain 0.25			Width	0.9mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		1.49g
Sliding Ball	<input type="radio"/>	Pt850 45cm		1.84g
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>	


Round Cable Chain 0.28			Width	1.0mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		1.71g
Sliding Ball	<input type="radio"/>	Pt850 45cm		2.11g
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

Round Cable Chain 0.33			Width	1.15mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		2.35g
Sliding Ball	<input type="radio"/>	Pt850 45cm		2.89g
Pt999	Pt950	Pt900	Pt850	
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>	

Round Cable Chain 0.45			Width	1.5mm
			Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm		4.03g
Sliding Ball	<input type="radio"/>	Pt850 45cm		4.89g
Pt999	Pt950	Pt900	Pt850	
—	<input type="radio"/>	—	<input type="radio"/>	

※ Weight and Width listed above are reference purpose only. : Available —: Not Available






Round Cable Chain USA 0.27		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	1.87g
Sliding Ball	○	Pt850 45cm	2.21g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Round Cable Chain USA 0.3		Width	1.25mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	2.24g
Sliding Ball	○	Pt850 45cm	2.62g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Round Cable Chain USA 0.35		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	2.99g
Sliding Ball	○	Pt850 45cm	3.45g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Round Cable Chain USA 0.4		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	3.94g
Sliding Ball	○	Pt850 45cm	4.54g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Flat Cable Chain (S)		Width	1.5mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	3.05g
Sliding Ball	○	Pt850 45cm	3.40g
Pt999	Pt950	Pt900	Pt850
—	○	—	○



Flat Cable Chain (L)		Width	2.2mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	5.50g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○



Oval Flat Cable Chain 0.20 #2		Width	1.1mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	0.80g
Sliding Ball	—	Pt850 45cm	g
Pt999	Pt950	Pt900	Pt850
○	○	—	○



Oval Cable Chain 0.17		Width	0.8mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	0.64g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	○



PPC Cable Chain 0.28 #1		Width	1.7mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	2.25g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○



Bismarck Cable Chain 0.28		Width	1.5mm
		Thickness	0.64mm
Adjustable Ring	—	Pt850 45cm	3.47g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	○




Bismarck Cable Chain 4 rows 0.35		Width	3.0mm
		Thickness	0.64mm
Adjustable Ring	—	Pt850 45cm	7.07g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	○



Bismarck Cable Chain 4 rows 0.35		Width	4.2mm
		Thickness	mm
Adjustable Ring	—	Pt850 45cm	10.11g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
○	—	—	○

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Shine Cut Cable Chain 0.22		Width	0.7mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	0.92g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.12g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Shine Cut Cable Chain 0.25		Width	0.8mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.15g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.37g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Shine Cut Cable Chain 0.28		Width	0.9mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.62g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.99g
Pt999	Pt950	Pt900	Pt850
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>

Shine Cut Cable Chain 0.29		Width	1.0mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.26g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.49g
Pt999	Pt950	Pt900	Pt850
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>

Shine Cut Cable Chain 0.33		Width	1.1mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.00g
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.47g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>


Shine Cut Cable Chain 0.40		Width	1.4mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.97g
Sliding Ball	<input type="radio"/>	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

Shine Cut Cable Chain 0.45		Width	1.5mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.55g
Sliding Ball	<input type="radio"/>	Pt850 45cm	4.38g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

Shine Cut Cable Chain 0.55		Width	2.0mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	5.37g
Sliding Ball	<input type="radio"/>	Pt850 45cm	6.64g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Shine Cut Cable Chain Piatto 0.29/4:1		Width	1.4mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.30g
Sliding Ball	—	Pt850 45cm	1.70g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

※ Weight and Width listed above are reference purpose only. : Available —: Not Available



Fantasia Chain #2 0.2				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		0.68g
Sliding Ball	<input type="radio"/>	Pt850	45cm		0.84g
Pt999	Pt950	Pt900	Pt850		
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>		

Fantasia Chain #2 0.25				Width	1.25mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		1.02g
Sliding Ball	—	Pt850	cm		g
Pt999	Pt950	Pt900	Pt850		
<input type="radio"/>	<input type="radio"/>	—	<input type="radio"/>		

Fantasia Chain 0.2 5:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		0.76g
Sliding Ball	<input type="radio"/>	Pt850	45cm		0.97g
Pt999	Pt950	Pt900	Pt850		
—	—	—	<input type="radio"/>		

Fantasia Chain 0.2 8:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		0.76g
Sliding Ball	<input type="radio"/>	Pt850	45cm		0.97g
Pt999	Pt950	Pt900	Pt850		
—	—	—	<input type="radio"/>		

Fantasia Chain 0.2 12:1				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		0.76g
Sliding Ball	<input type="radio"/>	Pt850	45cm		0.97g
Pt999	Pt950	Pt900	Pt850		
—	—	—	<input type="radio"/>		

Fantasia Wave Chain 0.3				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm		1.40g
Sliding Ball	<input type="radio"/>	Pt850	45cm		1.79g
Pt999	Pt950	Pt900	Pt850		
—	—	—	<input type="radio"/>		

Parallel Fantasia Chain 0.25 φ				Width	2.0mm
				Thickness	mm
Adjustable Ring	—	Pt850	40cm		1.89g
Sliding Ball	—	Pt850	cm		g
Pt999	Pt950	Pt900	Pt850		
<input type="radio"/>	—	—	<input type="radio"/>		

Quad Fantasia Chain 0.25 φ				Width	3.9mm
				Thickness	mm
Adjustable Ring	—	Pt850	18cm		1.76g
Sliding Ball	—	Pt850	cm		g
Pt999	Pt950	Pt900	Pt850		
<input type="radio"/>	—	—	<input type="radio"/>		

※ Weight and Width listed above are reference purpose only. : Available —: Not Available




D/C Ball Chain 0.8		Width	0.8mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	1.36g
Sliding Ball	<input type="radio"/>	Pt850 45cm	1.62g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

D/C Ball Chain 1.0		Width	1.0mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.08g
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.54g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

D/C Ball Chain 1.2		Width	1.2mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.04g
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.76g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

※ Weight and Width listed above are reference purpose only. : Available —: Not Available



Singapore Chain 0.12				Width	0.8mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	0.72g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
—	—	—	—		

Singapore Chain 0.15				Width	0.9mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	0.98g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
<input type="radio"/>	—	—	—		

Singapore Chain 0.18				Width	1.1mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	1.22g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
<input type="radio"/>	—	—	—		

Singapore Chain 0.21				Width	1.3mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	1.70g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
<input type="radio"/>	—	—	—		

Singapore Chain 0.25				Width	1.5mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	2.15g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
<input type="radio"/>	<input type="radio"/>	—	—		

Singapore Chain 0.28				Width	1.7mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	2.83g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
<input type="radio"/>	—	—	—		

Singapore Chain 0.33				Width	1.9mm
				Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850	40cm	3.90g	
Sliding Ball	—	Pt850	cm	g	
Pt999	Pt950	Pt900	Pt850		<input type="radio"/>
—	<input type="radio"/>	—	—		

※ Weight and Width listed above are reference purpose only.


○: Available

—: Not Available



	300% Expansion		Actual				
Rolo Chain 1.0							
			Rolo Chain 1.0		Width	1.0mm	
					Thickness	mm	
	Adjustable Ring	<input type="radio"/>	Pt850	40cm	1.65g		
	Sliding Ball	<input type="radio"/>	Pt850	45cm	2.03g		
Pt999	—	Pt950	<input type="radio"/>	Pt900	<input type="radio"/>	Pt850	<input type="radio"/>
Rolo Chain 1.3							
			Rolo Chain 1.3		Width	1.3mm	
					Thickness	mm	
	Adjustable Ring	<input type="radio"/>	Pt850	40cm	2.25g		
	Sliding Ball	<input type="radio"/>	Pt850	45cm	3.31g		
Pt999	—	Pt950	<input type="radio"/>	Pt900	<input type="radio"/>	Pt850	<input type="radio"/>
Rolo Chain 1.6							
			Rolo Chain 1.6		Width	1.6mm	
					Thickness	mm	
	Adjustable Ring	<input type="radio"/>	Pt850	40cm	3.95g		
	Sliding Ball	<input type="radio"/>	Pt850	45cm	4.75g		
Pt999	—	Pt950	<input type="radio"/>	Pt900	<input type="radio"/>	Pt850	<input type="radio"/>
Rolo Chain 1.9							
			Rolo Chain 1.9		Width	1.9mm	
					Thickness	mm	
	Adjustable Ring	<input type="radio"/>	Pt850	40cm	5.10g		
	Sliding Ball	<input type="radio"/>	Pt850	45cm	6.37g		
Pt999	—	Pt950	<input type="radio"/>	Pt900	<input type="radio"/>	Pt850	<input type="radio"/>

※ Weight and Width listed above are reference purpose only. : Available —: Not Available



Adjustable Chain 0.4		Width	2.3mm
		Thickness	1.2mm
Adjustable Ring	—	Pt850 40cm	2.90g
Sliding Ball	—	Pt850 45cm	g
Pt999	Pt950	Pt900	Pt850
○	○	—	○

Flat Oval Chain 0.4		Width	2.8mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	2.47g
Sliding Ball	—	Pt850 45cm	g
Pt999	Pt950	Pt900	Pt850
○	—	—	○

Popcorn Chain 1.4		Width	1.4mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	3.00g
Sliding Ball	○	Pt850 45cm	3.87g
Pt999	Pt950	Pt900	Pt850
—	—	—	○

Popcorn Chain 1.6		Width	1.6mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	4.10g
Sliding Ball	○	Pt850 45cm	5.39g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

Popcorn Chain 1.8		Width	1.8mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	5.20g
Sliding Ball	○	Pt850 45cm	6.26g
Pt999	Pt950	Pt900	Pt850
—	—	—	○


Wheat Chain 0.2		Width	0.7mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	2.10g
Sliding Ball	○	Pt850 45cm	2.40g
Pt999	Pt950	Pt900	Pt850
—	○	○	○

Wheat Chain 0.25		Width	0.9mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	3.05g
Sliding Ball	○	Pt850 45cm	3.60g
Pt999	Pt950	Pt900	Pt850
—	○	○	○

Wheat Chain 0.3		Width	1.0mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	4.15g
Sliding Ball	○	Pt850 45cm	5.16g
Pt999	Pt950	Pt900	Pt850
—	○	○	○

Wheat Chain 0.4		Width	1.42mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	7.45g
Sliding Ball	○	Pt850 45cm	8.85g
Pt999	Pt950	Pt900	Pt850
—	○	○	○

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



D/C Wheat Chain 0.2		Width	0.6mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.00g
Sliding Ball	<input type="radio"/>	Pt850 45cm	2.34g
Pt999	Pt950	Pt900	Pt850
—	—	<input type="radio"/>	<input type="radio"/>

D/C Wheat Chain 0.25		Width	0.8mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	2.80g
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.31g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Flat Rope Chain 0.25		Width	1.4mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.10g
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.95g
Pt999	Pt950	Pt900	Pt850
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Flat Rope Chain 0.5		Width	3.0mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	10.20g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

Pretty 0.28		Width	2.0mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	7.56g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>


Pretty 0.33		Width	2.4mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	10.48g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

Square Snake 0.21		Width	0.7mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	3.05g
Sliding Ball	<input type="radio"/>	Pt850 45cm	3.75g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Square Snake 0.24		Width	0.8mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	4.10g
Sliding Ball	<input type="radio"/>	Pt850 45cm	4.85g
Pt999	Pt950	Pt900	Pt850
—	<input type="radio"/>	—	<input type="radio"/>

Square Snake 0.33		Width	1.1mm
		Thickness	mm
Adjustable Ring	<input type="radio"/>	Pt850 40cm	7.38g
Sliding Ball	<input type="radio"/>	Pt850 45cm	8.70g
Pt999	Pt950	Pt900	Pt850
—	—	—	<input type="radio"/>

※ Weight and Width listed above are reference purpose only. : Available —: Not Available



Paperclip chain 0.5		Width	2.5mm
		Thickness	mm
Adjustable Ring	○	Pt850 40cm	3.67g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	—	—	○

Paperclip Chain Round 0.6		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 40cm	6.85g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Round 0.7		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 40cm	9.16g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Round 0.85		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 50cm	14.81g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Round 0.95		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 50cm	17.65g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—


Paperclip Chain Knife 0.6		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 40cm	7.92g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Knife 0.7		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 40cm	10.39g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Knife 0.85		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 50cm	17.75g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

Paperclip Chain Knife 0.95		Width	mm
		Thickness	mm
Adjustable Ring	—	Pt950 50cm	20.84g
Sliding Ball	—	Pt950 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	—

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



Milano (M)		Width	2.8mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	9.50g
Sliding Ball	—	Pt850 45cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

Forte 1.4		Width	3.85mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	31.9g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○


Garland		Width	2.8mm
		Thickness	mm
Adjustable Ring	—	Pt850 40cm	4.69g
Sliding Ball	—	Pt850 45cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

Figaro Chain 0.6		Width	2.0mm
		Thickness	1.0mm
Adjustable Ring	—	Pt850 40cm	6.60g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

Figaro Chain 0.8		Width	2.65mm
		Thickness	1.3mm
Adjustable Ring	—	Pt850 40cm	11.0g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

Figaro Chain 1.0		Width	3.4mm
		Thickness	1.7mm
Adjustable Ring	—	Pt850 40cm	17.95g
Sliding Ball	—	Pt850 cm	g
Pt999	Pt950	Pt900	Pt850
—	○	—	○

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available



2 Sided D/C Curb Chain 0.62		Width	2.08mm
		Thickness	1.03mm
Spring Ring	○	Pt850 50cm	10g
Folded Clasp	—		

2 Sided D/C Curb Chain 0.68		Width	2.31mm
		Thickness	1.12mm
Spring Ring	○	Pt850 40cm	10g
Folded Clasp	—		

2 Sided D/C Curb Chain 0.8		Width	2.62mm
		Thickness	1.38mm
Spring Ring	○	Pt850 60cm	20g
Folded Clasp	—		

2 Sided D/C Curb Chain 0.9		Width	2.93mm
		Thickness	1.52mm
Spring Ring	○	Pt850 50cm	20g
Folded Clasp	—		

2 Sided D/C Curb Chain 0.95		Width	3.23mm
		Thickness	1.6mm
Spring Ring	○	Pt850 60cm	30g
Folded Clasp	—		


2 Sided D/C Curb Chain 1.05		Width	3.54mm
		Thickness	1.8mm
Spring Ring	—	Pt850 50cm	30g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available





6 Sided D/C Double Curb Chain 0.48		Width	2.25mm
		Thickness	0.85mm
Spring Ring	○	Pt850 60cm	10g
Folded Clasp	—		

6 Sided D/C Double Curb Chain 0.53		Width	2.48mm
		Thickness	0.95mm
Spring Ring	○	Pt850 50cm	10g
Folded Clasp	—		

6 Sided D/C Double Curb Chain 0.54		Width	2.55mm
		Thickness	1.02mm
Spring Ring	○	Pt850 45cm	10g
Folded Clasp	—		

6 Sided D/C Double Curb Chain 0.67		Width	3.1mm
		Thickness	1.22mm
Spring Ring	—	Pt850 60cm	20g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.72		Width	3.3mm
		Thickness	1.25mm
Spring Ring	—	Pt850 50cm	20g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.8		Width	3.77mm
		Thickness	1.46mm
Spring Ring	—	Pt850 60cm	30g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 0.9		Width	4.03mm
		Thickness	1.6mm
Spring Ring	—	Pt850 50cm	30g
Folded Clasp	○		


6 Sided D/C Double Curb Chain 1.1		Width	4.65mm
		Thickness	1.9mm
Spring Ring	—	Pt850 60cm	50g
Folded Clasp	○		

6 Sided D/C Double Curb Chain 1.17		Width	5.22mm
		Thickness	2.0mm
Spring Ring	—	Pt850 50cm	50g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only. ○: Available —: Not Available

Actual

6 Sided D/C  
Double Curb Chain  
1.35



6 Sided D/C Double Curb Chain 1.35		Width	6.3mm
		Thickness	2.55mm
Spring Ring	—	Pt850 20cm	30g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.45



6 Sided D/C Double Curb Chain 1.45		Width	6.6mm
		Thickness	2.65mm
Spring Ring	—	Pt850 60cm	100g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
1.6



6 Sided D/C Double Curb Chain 1.6		Width	7.45mm
		Thickness	2.9mm
Spring Ring	—	Pt850 50cm	100g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
2.1



6 Sided D/C Double Curb Chain 2.1		Width	9.9mm
		Thickness	3.6mm
Spring Ring	—	Pt850 60cm	200g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
2.3



6 Sided D/C Double Curb Chain 2.3		Width	10.2mm
		Thickness	4.0mm
Spring Ring	—	Pt850 53cm	200g
Folded Clasp	○		

6 Sided D/C  
Double Curb Chain  
2.55




6 Sided D/C Double Curb Chain 2.55		Width	11.75mm
		Thickness	4.6mm
Spring Ring	—	Pt850 21cm	100g
Folded Clasp	○		

※ Weight and Width listed above are reference purpose only.

○: Available

—: Not Available

12 Sided D/C Triple Curb Chain 0.73



12 Sided D/C Triple Curb Chain 0.73		Width	4.25mm
		Thickness	1.65mm
Spring Ring	—	Pt850 50cm	30g
Folded Clasp	○		

12 Sided D/C Triple Curb Chain 0.98



12 Sided D/C Triple Curb Chain 0.98		Width	5.7mm
		Thickness	2.23mm
Spring Ring	—	Pt850 50cm	50g
Folded Clasp	○		



## Contact Us

Kuwayama International Co, Ltd	Unit 103A, Mirror Tower, 61 Mody Road, T.S.T. East, Kowloon, Hong Kong TEL: +852-2865-6080 FAX: +852-2866-3357
Wuxi Jinteng Jewellery Co., Ltd.	Wuxi Li Yuen Developing Zone DICUI Rd., No.100(CREATIVE GARDEN) 11th Floor 1LAYER WUXI JIANGSU TEL: +86-510-8516-2958 FAX: +86-510-8516-6836
Shenzhen Branch Office, Wuxi Jinteng Jewellery Co., Ltd.	Room 2657 & 2658, 26th Floor, Oriental Plaza, 1072 Jianshe Rd., Shenzhen, PRC TEL: +86-755-2293-1750
Kuwayama Jewellery Guangzhou Co., Ltd.	2nd Floor No.15 (B5) Shawn Jewellery Industrial Park ("Industrial Park"), No. 999 Fulong Highway Funchong, Village, Shawan Town, Panyu District, Guangzhou, China TEL: +86-020-3473-5200 FAX: +86-020-3473-5549

This catalog is for wholesale only. All items are made to order.

